

R O W A N

Rambler

by Marie Wallin



YARN

S	M	L	XL	XXL	
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in
Rowan Cocoon					
8	9	10	11	12	x 100gm

(photographed in Polar 801)

NEEDLES

1 pair 7mm (no 2) (US 10½) needles
Cable needle

TENSION

16 sts and 20 rows to 10 cm measured over double moss st using 7mm (US 10½) needles. Cable panel (15 sts) measures 8 cm.

SPECIAL ABBREVIATIONS

C5B = slip next 3 sts onto cable needle and leave at back of work, K2, slip the centre st of this group of 5 sts back onto left needle and P this st, then K2 from cable needle; **Cr3R** = slip next st onto cable needle and leave at back of work, K2, then P1 from cable needle; **Cr3L** = slip next 2 sts onto cable needle and leave at front of work, P1, then K2 from cable needle.

BACK

Using 7mm (US 10½) needles cast on 147 [155: 165: 211: 223] sts.

Row 1 (RS): P0 [0: 1: 0: 0], *K1, P1, rep from * to last 1 [1: 0: 1: 1] st, K1 [1: 0: 1: 1].

Rows 2 and 3: K0 [0: 1: 0: 0], *P1, K1, rep from * to last 1 [1: 0: 1: 1] st, P1 [1: 0: 1: 1].

Row 4: As row 1.

These 4 rows form double moss st.

Keeping double moss st correct throughout, now place cable panels as follows:

Row 5 (RS): Patt 2 [6: 11: 2: 8] sts, *work next 15 sts as row 1 of cable panel, patt 17 sts, rep from * 3 [3: 3: 5: 5] times more, work next 15 sts as row 1 of cable panel, patt 2 [6: 11: 2: 8] sts.

Row 6: Patt 2 [6: 11: 2: 8] sts, *work next 15 sts as row 2 of cable panel, patt 17 sts, rep from * 3 [3: 3: 5: 5] times more, work next 15 sts as row 2 of cable panel, patt 2 [6: 11: 2: 8] sts.

Last 2 rows set the sts – 5 [5: 5: 7: 7] cable panels with double moss st between and at sides.

Place markers either side of each set of cable panels sts – 10 [10: 10: 14: 14] markers in total.

Keeping sts correct as now set, cont as follows:

Row 7: Patt to first marker, *slip marker onto right needle, patt 15 sts, slip next marker onto right needle, work 2 tog, patt to within 2 sts of next marker, work 2 tog tbl, rep from * 3 [3: 3: 5: 5] times more, slip marker onto right needle, patt 15 sts, slip next marker onto right needle, patt to end. 139 [147: 157: 199: 211] sts.

Work 3 rows.

Rep last 4 rows 4 times more.

107 [115: 125: 151: 163] sts.

Row 27: As row 7. 99 [107: 117: 139: 151] sts.

Work 5 rows.

Rep last 6 rows once more.

91 [99: 109: 127: 139] sts.

Row 39: Patt to first marker, *slip marker onto right needle, patt 15 sts, slip next marker onto right needle, sl 1, work 2 tog, pssso, rep from

* 3 [3: 3: 5: 5] times more, slip marker onto right needle, patt 15 sts, slip next marker onto right needle, patt to end.

83 [91: 101: 115: 127] sts.

Work 1 row, ending with RS facing for next row.

Remove markers.

Cont as folls:

Row 41 (RS): Patt 2 [6: 11: 2: 8] sts, *patt

15 sts, P1, rep from * 3 [3: 3: 5: 5] times more, patt to end.

Row 42: Patt 2 [6: 11: 2: 8] sts, *patt 15 sts, K1, rep from

* 3 [3: 3: 5: 5] times more, patt

to end.

These 2 rows set the sts for rest of back.

Cont as now set until back meas 38 [39: 40:

41: 42] cm, ending with RS facing for

next row.

Shape raglan armholes

Keeping patt correct, cast off 3 sts at beg of next 2 rows.

77 [85: 95: 109: 121] sts.

Dec 1 st at each end of next 9 [15: 21: 33: 41] rows, then on

folll 14 [12: 10: 5: 2] alt rows.

31 [31: 33: 33: 35] sts.

Work 1 row, ending with RS facing for next row.

Cast off in patt, decreasing 4 sts evenly

across row.

FRONT

Work as given for back to beg of raglan armhole shaping.

Shape raglan armholes

Keeping patt correct, cast off 3 sts at beg of next 2 [4: 8:

18: 24] rows. 77 [79: 77: 61: 55] sts.

Dec 1 st at each end of next 25 [26: 24: 16: 12] rows.

27 [27: 29: 29: 31] sts.

Work 1 [0: 0: 0: 0] row, ending with RS facing for next row.

Cast off in patt, decreasing 2 sts evenly

across row.

LEFT SLEEVE

Using 7mm (US 10½) needles cast on 39 [41: 41: 41: 43] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Rows 2 and 3: P1, *K1, P1, rep from * to end.

Row 4: As row 1.

These 4 rows form double moss st.

Cont in double moss st, shaping sides by inc

1 st at each end of 3rd [3rd: next: next: next] and every foll

6th [6th: 6th: 4th: 4th] row to

65 [65: 69: 49: 51] sts, then on every foll

– [8th: –: 6th: 6th] row until there are – [67: –: 71: 73] sts, taking

inc sts into patt.

Cont straight until sleeve meas 44 [45: 46: 46: 46] cm, ending



with RS facing for

next row.


Shape raglan

Keeping patt correct, cast off 3 sts at beg of next 2 rows.

59 [61: 63: 65: 67] sts.**



key

-  K on RS, P on WS
-  P on RS, K on WS
-  Cr3R
-  Cr3L
-  C5B